



Illinois Environmental Protection Agency P.O. Box 19276, Springfield, IL 62794-9276

First Stage Submittal
Second Stage Submittal

4/9/92
10/14/92

ADMINISTRATIVE RECORD

PUBLIC INVOLVEMENT CHECKLIST

US EPA RECORDS CENTER REGION 5



1000073

U.S. EPA must have copies of the following items for each RCRA/HSWA permit.

FACILITY Detrey

RECEIVED

NOV 2 1992

OFFICE OF RCRA
Waste Management Division
U.S. EPA, REGION V

- ☒ Public Notice
- ☒ Newspaper tearsheet and voucher or affidavit of publications*
- ☒ Radio announcement, copies of cover letter for each radio station
- ☒ Cover letters (legislators, concerned citizens, etc.)*
- ☒ Dated mailing list
- ☒ Copy of radio announcement verification cards (when available)
- ☒ Repository cover letter*
- ☒ Verification that materials were received by repository location
- ☒ Press release or evidence of any other public participation activity
- ☒ Public hearing transcript (if appropriate)*
- ☒ Public comment(s) (Copy of comments or listing of where comments may be found)*
- ☒ * Response summary (if appropriate)*
- ☒ * Final permit issuance or denial notice

ADDITIONAL COMMENTS: Response Summary found at end of final permit. Whole packet sent to Village of Melrose Park's Atty.

*Items U.S.EPA requires before signing permit.

KL:rl:1-010

RESPONSE TO COMMENTS

DETREX CORPORATION

Melrose Park, Illinois

Part B Log #113

ILD074424938

0311860003

RESPONSE TO COMMENTS

DETREX CORPORATION

The following comments were submitted during the public comment period in response to the draft RCRA Part B permit dated September 25, 1991. Comments were submitted by Detrex on November 5, 1991 and November 18, 1991. In addition, a letter was submitted by the Village of Melrose Park on November 8, 1991. However, the concerns raised by the Village of Melrose Park were previously submitted by Detrex Corporation in their November 5, 1991 submittal. The following provides a summary of comments received, with the Agency response to each comment located directly below each individual comment.

Comment #1

Section II, Standard Conditions, page 2 of 12, Item #10.

Since they do not do any treatment at this facility, they request we delete the words "... and the system of treatment... ."

Agency Response

This is a standard condition, however, the wording in the final permit will be revised to eliminate this reference to treatment.

Comment #2

They request that the Part B Application, Page C-9 Subsection C-2a, paragraph 1 be revised to eliminate the reference of recycling at this facility.

Agency Response:

This change must be initiated by Detrex, since this is a change to their application. A revised Page C-9 was submitted to the Agency on April 15, 1992. This revised page has been inserted into Detrex's Part B Permit application.

Comment #3

They also request that the Part B Permit indicate that the issuance of the Part B Permit does not denote any change in the operation of the Detrex facility and that recycling will not be taking place at this facility.

Agency Response

The draft permit currently indicates on its cover page, and page 1 of the Fact Sheet that this permit is for storage of hazardous waste in containers only. However, on March 31, 1992, Detrex submitted a request to delete the word "treat" from Section I, Containers, Page 7 of 13, H.10, and the words "and system of treatment" from Section II, Standard Conditions, Page 2 of 12, 10. These changes will be made to the final permit in order to address Detrex concerns.

The issuance of the Part B Permit does not mean that no changes will be conducted in the operation of the Detrex facility. While, only storage, as before, will be allowed. Conditions included in the final permit will require more stringent sampling and handling of the hazardous waste to be stored.

Detrex has also submitted comments dated November 18, 1991 and received by the Agency on November 19, 1991.

Comment #4

Fact Sheet

Detrex is concerned that they will have to close down operations while the coating of the secondary containment is being applied and inspected for approval. They have two alternatives: (a) less than 90 day storage outside of the hazardous waste storage area, and (b) seal part of the area in sections, allowing them to use part of the area.

Agency Response

35 IAC Section 722.134 does allow for a generator to accumulate hazardous waste generated on-site for less than 90 days without a permit or without interim status provided certain conditions are met. This less than 90 day accumulation area would need to be outside of the hazardous waste container storage area that is the subject of this permit.

The second option suggested would require that the IEPA modify their permit to allow the use of the hazardous waste storage area prior to approval of the sealant. This prolonged use of the container storage area without the proper sealant after the effective date is unacceptable to the Agency.

Section I, Containers, Page 8 of 13, K. General Construction Requirements provides the requirements for the sealant installation and certification. Detrex submitted specifications for the coating material on March 31, 1992. These specifications were approved by the Agency on April 28, 1992 with the provision that in order to allow Detrex to continue operations at the facility, the secondary containment area may be sealed in sections. However, upon the effective date of the Part B Permit, all hazardous waste shall be stored in the portion of the secondary containment area that has been sealed and approved in writing by the Agency. Upon completion of the application of the sealant, containers shall not be placed or stored on the sealant until the certification is approved by the Agency. Upon submittal of the construction certification, the Agency will respond within forty-five days. Therefore, this condition will be revised to indicate that Detrex has been authorized to install the sealant.

Comment #5

Section I, Containers, Page 1 of 13, A.,

They request that the word "epoxy" be replaced with the word "sealant".

Agency Response

The Agency will revise the word "epoxy" to read "sealant".

Comment #6

Section I, Containers, Page 1 of 13, A.

They request that the maximum number of product and/or empty drums be revised to 1300 drums. They indicate this will not impact the requirement to contain 10% of the liquid within the secondary containment. As an alternative, they suggest that the secondary containment area be divided into hazardous and non-hazardous/product/empty drum areas.

Agency Response

Based upon secondary containment calculations conducted by the Agency, the secondary containment area is not large enough to maintain 1300 product, empty or non-hazardous waste drums in addition to the 500 waste drums. Detrex must provide secondary containment calculations verifying that the secondary containment system has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater. The Agency would not be opposed to Detrex proposing that the secondary containment area be divided into hazardous and non-hazardous/product/empty drum areas. However, Detrex would need to modify their permit application to indicate this segregation (i.e, design drawings would need to be modified to indicate this separation with a berm and secondary containment calculations would need to be recalculated).

During a phone conversation with Detrex on April 9, 1992, Detrex acknowledged that they had misfigured the calculations and would just leave the maximum number of product and/or empty drums at 300. Revised secondary containment system capacity calculations, Attachment D-3, were submitted on June 2, 1992 to include an additional curb within the storage area. These calculations indicated that only 300 product and/or empty drums would be allowed within the secondary containment system. Therefore, this condition will remain as written.

Comment #7

Section I, Containers, Page 1 of 13, A.

They request that other DOT approved sized containers be allowed, besides 55-gallon drums. They indicate a list of containers is attached to their letter.

Agency Response

The list of DOT approved containers which Detrex proposes to store in its secondary containment system was not provided with the November 18, 1991 letter. This information would need to be incorporated into the Part B Permit application, specifically, Section D-1a(1), prior to the Agency revising the type of containers allowed. In addition, compatibility of the waste with these containers must be addressed.

Attachment D-6 was submitted on April 3, 1992 to provide the list of DOT approved containers. In addition, a revised Section D was submitted to change the word "drum" to "container" or "DOT approved container." A list summarizing the different DOT containers was submitted on June 2, 1992. Therefore, Section I, Containers, Page 1 of 13, A, and Page 2 of 13, B.6, B.12 shall be modified to use the word "container" in place of "drum."

Comment #8

Section I, Page 1 of 13, B.2.

Detrex requests that Attachment A mentioned in this section be revised to include trichlorotrifluoroethane (freon) in the list of F001 wastes, since it was identified in Table C-1 of the application.

Agency Response

Attachment A will be revised to include trichlorotrifluoroethane under the F001 listing.

Comment #9

Section I, Page 1 of 13, B.3.

They request that the words "the permitted unit" be revised to "the secondary containment area".

Agency Response

The permit will be revised to include this wording.

Comment #10

Section I, Page 1 of 13, B.4.

They request that if the customer has previously conducted a TCLP test, that it not be required as part of the preliminary assessment. They indicate that they will perform TCLP tests as required by Section I(B)(a).

Agency Response

This waste is generated by an off-site generator, so Detrex does not have a lot of control over the waste and whether or not the sample collected by the generator is representative of the waste to be shipped to Detrex. However, if the generator has conducted an analysis, which includes specific gravity, ignitability, organics and TCLP, of the waste stream within the last year, this analysis may be used in lieu of the laboratory analysis. The results of the generators sampling must be recorded in Detrex's operating record and must also indicate who obtained the sample, the date of the sampling, and the sampling procedures used. Section I(B)(a) could not be located by this reviewer.

Comment #11

Section I, Page 1 of 13, B.5.

They indicate documents will be forwarded identifying current customers for their solvent waste who can accept it with a solvent content less than 30%.

Agency Response

Documentation that customers can accept the waste solvent with a solvent content less than 30% was not provided with the November 18, 1991 letter. A letter from Detrex's Michigan office was submitted on March 31, 1992 indicating that they can accept the waste solvent with a solvent content less than 30%. A separate March 31, 1992 letter from Detrex also provides a range of specific gravities for the wastes accepted at the facility. This information was submitted to ensure that the waste solvents will contain an adequate solvent content to ensure compatibility with the other wastes. Therefore, this condition will be eliminated in the final permit, and replaced with a range of specific gravities that the wastes shall maintain.

Comment #12

Section I, Page 2 of 13, B.6.

They request that the ignitability test and specific gravity test be omitted from the on-site testing requirements. They feel these tests are redundant and unnecessary.

Agency Response

This on-site sampling was included to be able to compare the preliminary assessment sampling with the sampling conducted at the site. The ignitability test was included here to ensure that the solvents accepted do not exceed the regulatory limit for ignitables. Additional storage requirements to comply with the applicable NFPA and RCRA requirements for flammables, combustibles and ignitables would be needed if the ignitability test indicates the waste is flammable, combustible, or ignitable. However, Detrex has conducted a comparative evaluation of the flammability analysis and the ignitability testing and determined that the flammability test will be adequate to ensure that the solvents accepted do not exceed the regulatory limit for ignitables. Therefore, this condition has been modified to allow Detrex to analyze a composite of all containers listed on a line item of a manifest for flammability. If the composite is even slightly flammable, all the drums within that composite must be analyzed for flammability. Any drum that is even slightly flammable shall be analyzed for ignitability.

The specific gravity test is included to ensure that the requirements of Condition I.B.5. will be complied with. See also Comment No. 11 above. Therefore, this condition will remain as written.

Comment #13

Section I, Page 2 of 13, B.7.

They request that this condition be eliminated because the waste will already have been characterized.

Agency Response

Due to the fact the waste will have been fully characterized as part of the preliminary assessment, once the drums are accepted at Detrex the visual inspection, specific gravity and flammability test should be sufficient to ensure that the waste is consistent with the preliminary assessment analysis. However, the second sentence defines the requirements for the organics analysis required by Conditions B.4 and B.9. Therefore, the first sentence will be eliminated in the final permit.

Comment #14

Section I, Page 2 of 13, B.9.

They request that the requirement to analyze for TCLP metals be omitted. They also requested clarification on how this condition relates to sampling required by Condition I.B.4 for new customers.

Agency Response

This waste is generated by off-site generators, so Detrex does not have a lot of control over the waste and whether or not the waste has been modified. In addition, Detrex's application requests that they be allowed to store TCLP metal and organic waste.

This condition has been modified to indicate when this condition applies to new customers. For new customers, this analysis would initially be completed during the preliminary assessment. If the waste is then accepted at Detrex, the annual analysis must be conducted within five years after the preliminary assessment.

Comment #15

Section I, Containers, Page 2 of 13, B.10.

They request that ASTM Method D4982-89 be allowed for analysis of ignitability testing.

Agency Response

Section 721.121 of 35 IAC indicates that a liquid waste, other than an aqueous solution containing less than 24 percent alcohol by volume, would be considered characteristically hazardous waste for ignitability if it has a flash point less than 60°C (140°F), as determined by the Pensky-Martens Closed Cup Tester, using the test method specified in ASTM D-93, incorporated by reference in 35 IAC. Adm. Code 720.111, or a Setaflash Closed Cup Tester, using the test method specified in ASTM Standard D-3228, incorporated by reference in 35 IAC. Adm. Code 720.111, or as determined by an equivalent test method approved by the Board.

The test method proposed by Detrex ASTM Method D4982-89 is used to indicate the fire-producing potential of wastes. The test method also indicates it is "designed and intended as preliminary tests to complement the more sophisticated quantitative analytical techniques that may be used to determine flammability". This test method is not designed to provide the temperature at which the liquid would flash. However, this condition will be modified to indicate analysis for flammability shall be conducted in accordance with ASTM D4982-89.

Comment #16

Section I, Containers, Page 2 of 13, B.12.

They request that this condition be modified to allow 1300 product and/or empty drums be maintained within the secondary containment system. In addition, they request that the last sentence, regarding containers of ignitable and combustible containers be stored in an area separate from the area where all other wastes or products are stored, be deleted. They indicate ignitable and combustible wastes will not be stored here.

Agency Response

See response to Comment #6 above. In addition, while Detrex has not specifically included ignitable wastes in their list of wastes to be stored, if an ignitable or combustible product is accepted at the facility, additional storage requirements to comply with the applicable NFPA and RCRA requirements for flammables, combustibles, and ignitables would be needed if the ignitability test indicates the waste or product is flammable, combustible, or ignitable. Therefore, this condition will be modified to indicate that ignitable and combustible product shall not be stored in the secondary containment area.

Comment #17

Section I, Page 2 of 13, B.13.

They request that this condition be modified to indicate it applies to only waste and product stored within the secondary containment area. They

also request that the last sentence, requiring a new composite sample be created once a week, be deleted.

Agency Response

During a phone conversation with Detrex on March 26, 1992, it was determined that by accepting only wastes within a set range of specific gravities, Detrex would be able to ensure that the waste solvents will contain an adequate solvent content to ensure compatibility. See Agency response to Comment #11 above. Further review of the compatibility charts provided in Attachment C-4 of the Part B Permit application and the waste codes identified on the facilities Part A application indicated that pyridine was the only waste that would be incompatible. Therefore, Detrex agreed to remove pyridine from their list of waste codes and submitted a revised Part A on August 17, 1992 deleting pyridine from the list of waste codes. Therefore, this condition will be eliminated in the final permit.

Comment #18

Section I, Page 3 of 13, E.

They request that this condition be clarified to allow temporary opening for the purpose of gathering samples.

Agency Response

The statement "except when it is necessary to add or remove waste" includes the temporary opening for the purpose of gathering samples. Therefore, this condition will remain as written.

Comment #19

Section I, Page 7 of 13, I., J.

They request that these conditions be deleted because Detrex does not plan to handle these wastes.

Agency Response

These conditions are standard conditions attached to the permit to inform Detrex of additional requirements that would apply if ignitable, reactive, or incompatible wastes are accepted. Ignitable and reactive wastes will not be accepted at this facility. Therefore, Condition I will be deleted from the final permit. Condition J will be revised to delete the exemption wording which would allow them to store incompatible wastes if they followed certain procedures.

Comment #20

Section I, Page 8 of 13, K.

They request that the word "epoxy" be replaced with the word "sealant".

Agency Response

The Agency will revise the word "epoxy" to read "sealant".

Comment #21

Section I, Page 9 of 13, L.

They request that the contingency plan be implemented only if a release includes a reportable quantity of a hazardous substance, as defined in the federal regulations.

Agency Response

35 IAC Section 724.151(b) indicates that the contingency plan must be carried out immediately whenever there is a fire, explosion or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment. Due to the limited time to evaluate emergency situations (release, fire or explosion), the Agency has determined that an adequate demonstration cannot be made initially to determine whether a release could threaten human health or the environment. The Agency is provided the authority under 35 IAC 703.241 to impose terms and conditions which the Agency determines are necessary to protect human health and the environment.

Detrex submitted revised pages to their contingency plan on April 15, 1992 to include reportable quantities when evaluating release scenarios for implementation of the contingency plan. They also included revised procedures for implementing the contingency plan during a fire and/or explosion. Therefore, this condition has been modified to indicate the contingency plan shall be implemented anytime there is (1) a release of hazardous waste or hazardous constituents which could threaten human health or the environment, (2) a release of hazardous waste or hazardous constituents which is equal to or greater than the Reportable Quantity (RQ) listed in Table G-3 of the permit application, (3) a fire or explosion which involves hazardous waste or which occurs in areas where hazardous wastes are stored, or (4) a release of hazardous waste or hazardous constituents which, based on the air dispersion modeling results contained in the contingency plan, would be expected to result in exposure above an OSHA short-term exposure limit to unprotected workers. (This would not apply to responding personnel who employ the proper personal protective equipment (PPE)).

Comment #22

Section I, Pages 10 and 13 of 13, L.3.g, M.

They request that these conditions be deleted because Detrex does not plan to handle these wastes.

Agency Response

These conditions are standard conditions attached to the permit to inform Detrex of additional requirements that would apply if ignitable, reactive, or incompatible wastes are present at this facility. However, Condition L.3.g will be modified to indicate that this condition applies to all hazardous wastes managed at the facility, and Condition M will be modified to indicate that ignitables shall not be stored in the area where all other wastes and products are stored.

Comment #23

Section II, Standard Conditions, Page 7 of 12, 27.

They request clarification of this condition, since they do not generate waste, but only store wastes.

Agency Response

This condition is a standard condition that applies only to waste that is generated by Detrex at this facility.

Comment #24

Section II, Page 8 of 12, 34.

They request that this condition be deleted because Detrex does not plan to handle these wastes.

Agency Response

This condition is a standard condition attached to the permit to inform Detrex of additional requirements that would apply if ignitable, reactive or incompatible wastes are accepted. However, this condition will be modified to state that the permittee shall not store ignitable, reactive, or incompatibles at this facility.

Comment #25

Section III, Corrective Action, Page 1 of 6, B.2.

They request that the fuel oil spill area be deleted from the list of Solid Waste Management Units. They feel any release would have been inadvertent and would not have been the result of normal handling of hazardous wastes.

Agency Response

The definition of Solid Waste Management Unit (SWMU) includes any discernible unit at which solid wastes have been placed at any time,

irrespective of whether the unit was intended for managing hazardous or solid waste and includes any area at a RCRA facility at which solid wastes have been released routinely and systematically. Detrex has not demonstrated to the Agency that this area did not include routine and systematic releases of solid waste. If Detrex wants to further pursue deleting this area from the list of SWMU's, Detrex must provide additional information documenting why it should not be included.

Soil sampling in the fuel oil spill area was conducted for BETX (benzene, ethylbenzene, toluene, and xylene) and PNAs. The results were submitted to the Agency by FAX on May 28, 1992. However, the detection limits used are not lower than the cleanup objectives the Agency would establish for this facility. Analysis for carcinogenic PNAs (i.e., benzo(a) anthracene, chrysene, benzo(b) fluoranthene, benzo(k) fluoranthene, benzo(a) pyrene, dibenzo(a,h) anthracene, indeno (1,2,3-cd)pyrene) must be conducted using SW-846 test method 8310 in order to achieve the Agency acceptable detection limits and cleanup objectives. Therefore, additional sampling must be conducted before the Agency can delete this unit from the list of SWMUs. This information should be included in the RFI Phase I workplan.

Comment #26

Section III, Page 1 of 6, B.3.

They request that the tank car unloading area be deleted from the list of Solid Waste Management Units. They indicate that hazardous waste is not received at the facility via tank car, and they know of no release of contaminants at this area.

Agency Response

The definition of Solid Waste Management Unit (SWMU) includes any discernible unit at which solid wastes have been placed at any time, irrespective of whether the unit was intended for managing hazardous or solid waste and includes any area at a RCRA facility at which solid wastes have been released routinely and systematically. Due to a lack of flora observed by Agency personnel during the site investigation, Detrex has not demonstrated to the Agency that this area did not include routine and systematic releases of solid waste. If Detrex wants to further pursue deleting this area from the list of SWMU's, Detrex must provide additional information documenting why it should not be included. This information should be included in the RFI Phase I Workplan.

Comment #27

Section III, Page 1 of 6, B.4.

They request that the possible leaking underground storage tank be deleted from the list of Solid Waste Management Units. They indicate that area has already been closed pursuant to an authorized closure. They also indicate that documents evidencing the closure of this underground tank, including the required government inspection has been attached to their comments.

Agency Response

The referenced documents were not attached to the November 18, 1991 comments submitted to the Agency by Detrex. However, the additional information was submitted March 27, 1992 and it appears that the underground storage tank has been abandoned in place in accordance with the Office of the State Fire Marshal requirements. During closure the tank was pressure washed and inspected. The tank inspection determined that the tank was not leaking, so it was filled with torpedo sand. Therefore, this SWMU will be eliminated from the final permit.

AD/mls/sp559r/1-14



Illinois Environmental Protection Agency · P.O. Box 19276, Springfield, IL 62794-9276

First Stage Submittal
Second Stage Submittal

4/92/92

ADMINISTRATIVE RECORD

PUBLIC INVOLVEMENT CHECKLIST

U.S. EPA must have copies of the following items for each RCRA/HSWA permit.

FACILITY Detrey

- ☒ Public Notice
- ☒ Newspaper tearsheet and voucher or affidavit of publications*
- ☒ Radio announcement, copies of cover letter for each radio station
- ☒ Cover letters (legislators, concerned citizens, etc.)*
- ☒ Dated mailing list
- ☒ Copy of radio announcement verification cards (when available)
- ☒ Repository cover letter*
- ☒ Verification that materials were received by repository location
- ☒ Press release or evidence of any other public participation activity
- ☒ Public hearing transcript (if appropriate)*
- ☒ Public comment(s) (Copy of comments or listing of where comments may be found)*
- ☐ Response summary (if appropriate)*
- ☐ Final permit issuance or denial notice

ADDITIONAL COMMENTS: _____

*Items U.S EPA requires before signing permit.

KL:rl:1-010

Invoice Voucher

The preparation instructions for vendors are on the back of the last copy.

STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY

ATTN: FISCAL SERVICES

P.O. BOX 19276

SPRINGFIELD, IL 62794-9276

Name and Location of State Agency or Institution

FOR AND STATE AGENCY SEE
IMPORTANT INSTRUCTIONS ON
BACK OF COPIES 3 AND 5 FOR
COMPLETION OF BOX 3

2. Vendor Number-FEIN/SSN

Zip Code

Type Code

37-0628114

62704

4. Voucher No. _____

5. Voucher Date _____

PAYMENT OF INTEREST MAY BE
AVAILABLE IF THE STATE FAILS TO
COMPLY WITH THE ILLINOIS
PROMPT PAYMENTS ACT, ILL. REV.
STAT., CH. 127, PAR. 132.401.

3. Vendor or Payee

LAST NAME

FIRST NAME

MIDDLE INITIAL

OR BUSINESS NAME

6. Appropriation Account Code Number

065-53230-1200-00-00

7. Invoice Number _____

8. Invoice Date _____

Disposition of Copies

1-Comptroller

2-Agency

3-Agency

4-Remittance Copy

5-Retained by Vendor

Illinois Press

701 South Grand Avenue West

Springfield, IL 62704

10. Give Complete Description of Articles or Services Rendered

11. Quantity

12. Units

13. Unit Price

14. Amount

PUBLIC NOTICE ADS RAN IN THESE PAPERS ON THESE DATES::

Melrose Park Proviso Star Sentinel - weeks of 9-22,

Melrose Park Herald -

weeks of 9-29

weeks of 10-6

1018.80

18. Exp. Obj.

19. Exp. Amount

Comp
Use Only

15.

Subtotal

1018.80

22. Obligation No.

23F

24. Payment Amount

16.
Discount/
Deduction17.
Total
Amount

1018.80

20. Total Exp.

25. Total Payment Amount

26. For Agency Use Only

0652

Certification of Receiving Agency

I certify that the goods or services specified on this voucher were for the use of this agency and that the expenditure for such goods or services was authorized and lawfully incurred, that such goods or services meet all the required standards set forth in the purchase agreement or contract to which this voucher relates; and that the amount shown on this voucher is correct and approved for payment. If applicable, the reporting requirements of Section 5.1 of 'An Act to create the Bureau of the Budget and to define its powers and duties and to make an appropriation', approved April 16, 1969, as amended, have been met.

RECEIVED

OCT 21 1991

IEPA/DLPC

Approved for Payment

Responsible Officer

Date

Clerk

Head of Unit or Authorized Agent

Date

(Date)

Agency Head (Signature)

COPY 1



ILLINOIS PRESS ADVERTISING SERVICE

(Press Services, Inc.)

701 S. Grand Ave., West • Springfield, IL 62704 • 217-523-5096

FAX # 217-523-5103

To: IEPA
Land Pollution
2200 Churchill Road
Springfield, IL 62706

Invoice

Date
10/07/91
Page
1

Account: Illinois E. P. A. (603-744-103-001/09-22-91)

City and Newspaper	Insertion Date	Space Units	Total	Rate	Gross
5909 - Melrose Park, Proviso Star-Sentinel	09/22/91	2 X 6	12.00	9.6300	115.56
5910 - Melrose Park, Melrose Park Herald - Howard Sims	09/22/91	2 X 6	12.00	18.6700	224.04
			TOTAL	\$	339.60

RECEIVED
OCT 21 1991
IEPA/DLP



ILLINOIS PRESS ADVERTISING SERVICE

(Press Services, Inc.)

701 S. Grand Ave., West • Springfield, IL 62704 • 217-523-5096

FAX # 217-523-5103

to: IEPA
Land Pollution
2200 Churchill Road
Springfield, IL 62706

Invoice

Date

10/07/91

Page

1

Account: Illinois E. P. A. (603-744-203-001/09-29-91)

City and Newspaper	Insertion Date	Space Units	Total	Rate	Gross
5909 - Melrose Park, Proviso Star-Sentinel	09/29/91	2 X 6	12.00	9.6300	115.56
5910 - Melrose Park, Melrose Park Herald - Howard Sims	09/29/91	2 X 6	12.00	18.6700	224.04
TOTAL				\$	339.60



ILLINOIS PRESS ADVERTISING SERVICE

(Press Services, Inc.)

701 S. Grand Ave., West • Springfield, IL. 62704 • 217-523-5096

FAX # 217-523-5103

To: IEPA
Land Pollution
2200 Churchill Road
Springfield, IL 62706

Invoice

Date
10/07/91
Page
1

Account: Illinois E. P. A. (603-744-303-001/10-06-91)

City and Newspaper	Insertion Date	Space Units	Total	Rate	Gross
5909 - Melrose Park, Proviso Star-Sentinel	10/06/91	2 X 6	12.00	9.6300	115.56
5910 - Melrose Park, Melrose Park Herald - Howard Sims	10/06/91	2 X 6	12.00	18.6700	224.04
TOTAL				\$	339.60

\$74

Reg. \$99.95

In 1983 Gioacchino's received the Chicago Tribune's award for the western suburb's best pizza in three categories -- par, stuffed and around and you'll get different answers. Ask enough people and you'll hear Gioacchino's more than any other name.

603-744-103-001-9.22

September 25, 1991

The Star Sentinel

ey
a high efficiency gas furnace

EE CENTRAL AIR ONING UNIT



this summer, so why suffer this heating and air conditioning time offer: BUY OUR ULTRA S FURNACE AND GET AN IT FREE. The Comfortmaker 93% Annual Fuel Utilization means big energy savings and nited lifetime warranty on the ars on parts. Call now while it's on December 9, 1991.

rtmaker®

dealers only—call for a free estimate.

old
se Park
81-1222



This order applies to GUH Series Ultra High Efficiency Gas Furnaces 60 thru 125 MBH and AC series air conditioning thru 3½ ton, and AD series 4 and 5 ton for residential application only. This offer supersedes any/all others including rebates, extended terms, trip certificates, etc.



Students study

This space provided as a public service.

PUBLIC NOTICE

The Illinois Environmental Protection Agency (IEPA) and the United States Environmental Protection Agency (U.S. EPA) hereby give notice of intent to issue a joint Resource Conservation and Recovery Act (RCRA) and Hazardous and Solid Waste Amendments (HSWA) permit to Detrex Corporation in Melrose Park. The facility's mailing address is 2537 LeMoyn Avenue, Melrose Park, IL 60160. Detrex Corporation is a transfer station which stores spent halogenated solvents under interim status as provided for in 35 Ill. Adm. Code 725.101 (b).

Interested citizens are invited to review copies of the permit application, draft permit decision and related fact sheets at the following locations:

Melrose Park Public Library, 801 N. Broadway, Melrose Park, IL 60160 708/343-3391.

Interested citizens may submit written comments on the permit decision documents to the Public Involvement Coordinator at IEPA (listed at the end of this Notice) by Monday, November 11, 1991. In response to public requests or at the discretion of IEPA or U.S. EPA, a public hearing can be held to clarify one or more issues concerning the draft permit decision. A request for a public one hearing must be made in writing and must state the nature of the issue to be raised at the hearing. Written requests should be sent to the Public Involvement Coordinator listed below. Public notice will be issued 45 days before any hearing.

All comments submitted will become part of the Administrative Record and will be evaluated by IEPA and U.S. EPA in making the final permit decisions. The two agencies will respond to comments on the draft permit decision, and indicate whether additional documents have been included in the Administrative Record. Anyone who submits written comments will be notified of the final permit decision and the permit decision appeal process.

The IEPA Division of Land Pollution Control is authorized to administer the RCRA program and, as of April 30, 1990, specific 1984 HSWA provisions (amending RCRA) that address corrective actions, waste minimization, mixed wastes and other regulatory functions. Corrective Actions are responses required of facilities that have or have had releases of hazardous constituents. IEPA welcomes information from the public that describes any such releases. U.S. EPA is authorized to address newer provisions of HSWA such as land disposal restrictions and some TCLP modifications. For further clarification of program authority, refer to the March 1, 1990 Federal Register, Vol. 55, No. 41, pg 7320.

The permit application, draft permit decision, related information and all data submitted by the applicant, as part of the Administrative Record, are now available for public inspection Monday through Friday between 9:00 a.m. and 5:00 p.m. at the following location:

Illinois EPA, Government & Community Affairs, Attn: Mara McGinnis, Public Involvement Coordinator, 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276, 217-782-5562.

Please telephone ahead for an appointment to view the documents.

Ciecko announces Circuit Court judge candidacy

by Sherri Kirk
Managing Editor

Elmwood Park attorney Tom Ciecko recently announced his candidacy for election to the eleventh sub-circuit of the Circuit Court of Cook County.

The 37-year-old Democrat is a former senior attorney for Motorola Corp. as the holding company overseeing human resources, finances and physician relations offered by the recently-closed Westlake Community and health hospitals.

throughout the state. Ciecko said the combination of his corporate law and courtroom experience qualifies him to serve as a Circuit Court judge.

"I've had the privilege to process entertaining reader surveys are tabulated by the independent Cynergetics organization. Through its syndicated column, published in newspapers throughout the country, Cynergetics has the ability to sample the opinions of millions of readers nationwide.

Simply call the Hot Line, punch in your opinion ... and you're done! You can also use this new Reader Hot Line to record a detailed message for others to hear.

Plus, you can listen to some of the more outrageous comments of others. Of course, your individual votes are

Blake names asst. president of social services

Paer, director of finance for Community Hospital in Park, has been promoted to vice president of financial services at the hospital.

In addition to his Certified Public Accountant degree, Paer has a master's degree in accounting from the University of Illinois at Chicago and a Ph.D. in statistics from the University of Chicago.

Paer became a member of the hospital's financial planning in 1985. He was named manager of budgeting and financial planning in 1986. In 1988, Paer became director of financial planning and reimbursement. He held until last year a position he held until last year he was named director of the hospital.

Paer is president, Paer will be responsible for accounting, payroll, budgeting, financial planning and reimbursement.

Are you now willing to accept gay men into normal family life?

New scientific discovery ... Or, just another hoax?

Gay men have been insisting for years that they were born that way. Now, research conducted by the Salk Institute seems to support their claim.

But, where do you stand? Do you believe being gay is a matter of choice? Or, do you buy the idea that it is biologically determined?

Are you now more willing to accept gay men as a result of this scientific study?

Call now ... **1-900-INVOLVE**, ext. 991

Your opinions will be tallied and published in this column in 2 weeks. This survey will be open through Tuesday, October 8th, 1991. Callers will be billed 95¢/minute and the average survey takes about 2 minutes. Net proceeds are used to fund special research projects. Touch-tone phone required.

Send your news to:
Star Sentinel Newspapers
1440 W. North Ave., Suite 210
Melrose Park, IL 60160

Sub-circuits approved

Since the adoption of the 1970 Illinois Constitution, Cook County judges have held the new sub-circuits for the next year.

PUBLIC NOTICE

The Illinois Environmental Protection Agency (IEPA) and the United States Environmental Protection Agency (U.S. EPA) hereby give notice of intent to issue a joint Resource Conservation and Recovery Act (RCRA) and Hazardous and Solid Waste Amendments (HSWA) permit to Detrex Corporation in Melrose Park. The facility's mailing address is 2537 LeMoine Avenue, Melrose Park, IL 60160. Detrex Corporation is a transfer station which stores spent halogenated solvents under interim status as provided for in 35 Ill. Adm. Code 725.101 (b).

Interested citizens are invited to review copies of the permit application, draft permit decision and related fact sheets at the following locations:

Melrose Park Public Library, 801 N Broadway, Melrose Park, IL 60160 708/343-3391.

Interested citizens may submit written comments on the permit decision documents to the Public Involvement Coordinator at IEPA (listed at the end of this Notice) by Monday, November 11, 1991. In response to public requests or at the discretion of IEPA or U.S. EPA, a public hearing can be held to clarify one or more issues concerning the draft permit decision. A request for a public one hearing must be made in writing and must state the nature of the issue to be raised at the hearing. Written requests should be sent to the Public Involvement Coordinator listed below. Public notice will be issued 45 days before any hearing.

All comments submitted will become part of the Administrative Record and will be evaluated by IEPA and U.S. EPA in making the final permit decisions. The two agencies will respond to comments on the draft permit decision, and indicate whether additional documents have been included in the Administrative Record. Anyone who submits written comments will be notified of the final permit decision and the permit decision appeal process.

The IEPA Division of Land Pollution Control is authorized to administer the RCRA program and, as of April 30, 1990, specific actions, waste minimization, mixed wastes and other regulatory functions. Corrective Actions are responses required of facilities that have or have had releases of hazardous constituents. IEPA welcomes information from the public that describes any such releases. U.S. EPA is authorized to address new provisions of HSWA such as land disposal restrictions and some TCLP modifications. For further clarification of program authority, refer to the March 1, 1990 Federal Register, Vol. 55, No. 41, pg 7320.

The permit application, draft permit decision, related information and all data submitted by the applicant, as part of the Administrative Record, are now available for public inspection Monday through Friday between 9:00 a.m. and 5:00 p.m. at the following location:

Illinois EPA, Government & Community Affairs, Attn: Mara McGinnis, Public Involvement Coordinator, 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276, 217-782-5562.

Please telephone ahead for an appointment to view the documents.



Travel Tips


At the end of a long, hot summer, where can you plan a vacation? With the world map changing almost daily, you may also wonder where it's safe to go.

Picture a country where you can walk along a Pacific beach before breakfast, hike to a volcanic peak by mid-afternoon, then cruise rain forest canals to see gentle sloths swinging in the trees. Or watch big sea turtles cross the beach to lay eggs or wander through mountain mist for a chance to see a many-colored bird so rare and beautiful that the Aztecs held it sacred. And you can do all this in a place that is so safe that they do not even have an army.

Picture yourself in Costa Rica, a country the size of West Virginia that unlike its neighbors...

Ultra High Efficiency Gas Furnace

FREE CENTRAL AIR CONDITIONING UNIT



ough this summer, so why suffer this
th your heating and air conditioning
is one time offer: BUY OUR ULTRA
NCY GAS FURNACE AND GET AN
ING UNIT *FREE*. The Comfortmaker
s up to 93% Annual Fuel Utilization
That means big energy savings and
ket. Limited *lifetime warranty* on the
five years on parts. Call *now* while it's
ely ends on December 9, 1991.

Comfortmaker®

Participating dealers only—call for a free estimate.

Fricold
Melrose Park
(815) 331-1222

This order applies to GUH Series Ultra High Efficiency Gas Furnaces 60 thru 125 MBH and AC series air conditioning thru 3½ ton, and AD series 4 and 5 ton for residential application only. This offer supersedes any/all others including rebates, extended terms, trip certificates, etc.



PUBLIC NOTICE

The Illinois Environmental Protection Agency (IEPA) and the United States Environmental Protection Agency (U.S. EPA) hereby give notice of intent to issue a joint Resource Conservation and Recovery Act (RCRA) and Hazardous and Solid Waste Amendments (HSWA) permit to Detrex Corporation in Melrose Park. The facility's mailing address is 2537 LeMoyne Avenue, Melrose Park, IL 60160. Detrex Corporation is a transfer station which stores spent halogenated solvents under interim status as provided for in 35 Ill. Adm. Code 725.101 (b).

Interested citizens are invited to review copies of the permit application, draft permit decision and related fact sheets at the following locations:

Melrose Park Public Library, 801 N. Broadway, Melrose Park, IL 60160 708/343-3391.

Interested citizens may submit written comments on the permit decision documents to the Public Involvement Coordinator at IEPA (listed at the end of this Notice) by Monday, November 11, 1991. In response to public requests or at the discretion of IEPA or U.S. EPA, a public hearing can be held to clarify one or more issues concerning the draft permit decision. A request for a public one hearing must be made in writing and must state the nature of the issue to be raised at the hearing. Written requests should be sent to the Public Involvement Coordinator listed below. Public notice will be issued 45 days before any hearing.

All comments submitted will become part of the Administrative Record and will be evaluated by IEPA and U.S. EPA in making the final permit decisions. The two agencies will respond to comments on the draft permit decision, and indicate whether additional documents have been included in the Administrative Record. Anyone who submits written comments will be notified of the final permit decision and the permit decision appeal process.

The IEPA Division of Land Pollution Control is authorized to administer the RCRA program and, as of April 30, 1990, specific 1984 HSWA provisions (amending RCRA) that address corrective actions, waste minimization, mixed wastes and other regulatory functions. Corrective Actions are responses required of facilities that have or have had releases of hazardous constituents. IEPA welcomes information from the public that describes any such releases. U.S. EPA is authorized to address newer provisions of HSWA such as land disposal restrictions and some TCLP modifications. For further clarification of program authority, refer to the March 1, 1990 Federal Register, Vol. 55, No. 41, pg 7320.

The permit application, draft permit decision, related information and all data submitted by the applicant, as part of the Administrative Record, are now available for public inspection Monday through Friday between 9:00 a.m. and 5:00 p.m. at the following location:

Illinois EPA, Government & Community Affairs, Attn: Mara McGinnis, Public Involvement Coordinator, 2200 Churchill Road, P.O. Box 19276, Springfield, Illinois 62794-9276, 217-782-5562.

Please telephone ahead for an appointment to view the documents.

...they or 1936, ou put 15 city," Jerry work until I was security check of like I wanted to, it

what she calls "good"ologist for 20 years, got a decision to retire at age 62, she was astounded to find receive only \$300 a month. e years to make that sn't worth it. So I me up a little by copy seeing the ld age. Now t, my check f I hadn't, m. If God m, I'm aliza-

round elec... the result... ment rise... a sudden drop

The biggest drop occurs analogous to the five years of the ion period, but results reverberate all the way into 1926.

"The people who did this were not bad people, they just used incredibly optimistic economic assumptions," Johnston says.

"In fact, I was working for Social Security, and the first time I realized what was happening, was in 1979, when I did a cost benefit analysis for my dad, who was born in 1918. He wanted to know whether he should retire at 62 or 65. I discovered he would get a tremendously small check."

Fight brewing

There's a fight now brewing in Congress over the Notch's eventual fate.

Senior rights advocates are cautiously optimistic about the eventual success of House Resolution 917, which would increase benefits to many so-called "Notch babies."

It would not completely fill in the Notch pothole, but it would increase payments so that average, 65-year-old Notch retirees would receive benefits about equal to retirees born in the late 1920s.

Johnston's group estimates the average benefits of workers born between 1917 and 1926, who retired at 65, would rise between \$15 and \$88 a month.

Even those who retired at 62 might benefit, if they were born between 1918 and 1922, although the average monthly hike would be between \$8 and \$21.

"This is going to cost only \$4.8 billion dollars in the peak cost year of 1995," Johnston says. The cost will be almost gone by 2010, and in that year, SSA is projected to have a surplus of more than \$88 billion."

Supporters also point to the 255 House members who have signed on as cosponsors of the bill, and to the 33 senators who have cosponsored a similar Senate bill.

In the suburban Chicago area, support is broad and bipartisan. Both Republican House

(Continued on page 16)

PIONEER PRESS

older adult care
and
necrologic

Wednesday, September 25, 1991 15

ACTION
Video Depot
SHOPPING CENTER 455 5525
FAMILY OWNED & OPERATED

Paid Advertisement

DATE: September 25, 1991

IEPA NO.: 0311840003
ILD NO.: 074424938
NOTICE NO.: PB-13-91

PUBLIC NOTICE

The Illinois Environmental Protection Agency (IEPA) and the United States Environmental Protection Agency (U.S.EPA) hereby give notice of intent to issue a joint Resource Conservation and Recovery Act (RCRA) and Hazardous and Solid Waste Amendments (HSWA) permit to Detrex Corporation in Melrose Park. The facility's mailing address is 2537 LeMay Avenue, Melrose Park, IL 60160. Detrex Corporation is a transfer station which stores spent halogenated solvents under interim status as provided for in 35 Ill. Adm. Code 725.101(b). Interested citizens are invited to review copies of the permit application, draft permit decision and related fact sheets at the following locations:

Melrose Park Public Library
801 N. Broadway
Melrose Park, IL 60160
708/343-3391

Interested citizens may submit written comments on the permit decision documents to the Public Involvement Coordinator at IEPA (listed at the end of this Notice) by Monday, November 11, 1991. In response to public requests or at the discretion of IEPA or U.S. EPA, a public hearing can be held to clarify one or more issues concerning the draft permit decision. A request for a public hearing must be made in writing and must state the nature of the issue to be raised at the hearing. Written requests should be sent to the Public Involvement Coordinator listed below. Public notice will be issued 45 days before any hearing.

All comments submitted will become part of the Administrative Record and will be evaluated by IEPA and U.S. EPA in making the final permit decisions. The two agencies will respond to comments on the draft permit decision, and indicate whether additional documents have been included in the Administrative Record. Anyone who submits written comments will be notified of the final permit decision and the permit decision appeal process.

The IEPA Division of Land Pollution Control is authorized to administer the RCRA program and, as of April 30, 1990, specific 1984 HSWA provisions (amending RCRA) that address corrective actions, waste minimization, mixed wastes and other regulatory functions. Corrective Actions are responses required of facilities that have or have had releases of hazardous constituents. IEPA welcomes information from the public that describes any such releases. U.S. EPA is authorized to address newer provisions of HSWA such as land disposal restrictions and some TCLP modifications. For further clarification of program authority, refer to the March 1, 1990 Federal Register, Vol. 55, No. 41, pg 7320.

The permit application, draft permit decision, related information and all data submitted by the applicant, as part of the Administrative Record, are now available for public inspection Monday through Friday between 9:00 a.m. and 5:00 p.m. at the following location:

Illinois EPA
Government & Community Affairs
Attn: Mara McGinnis, Public Involvement Coordinator
2200 Churchill Road
P.O. Box 19276
Springfield, Illinois 62794-9276
217-782-5562

Please telephone ahead for an appointment to view the documents.

WEST

ILL. PRESS ADV. SERVICE

Like the little critter in the photo, there are some guests you can't wait to see leave.

PIONEER PRESS

Russell Edwards, field supervisor for ABC Humane Wildlife Rescue and Relocation, observes a raccoon.

70 Wednesday, October 2, 1991

self-addressed envelop to the Illinois Council of Women Veterans, Suite A 2828 W

NEWS

Maywood Against Drugs (MAD) meets at 5 p.m. on the second Saturday of each month in the Village Board

Villa Scalabrini's Ladies Auxiliary meets at 7:30 p.m. on the first Monday of the month in the villa's

Paid Advertisement

IEPA NO.: 0311860003
ILD NO.: 074424938
NOTICE NO.: PB-13-91

DATE: September 25, 1991

PUBLIC NOTICE

The Illinois Environmental Protection Agency (IEPA) and the United States Environmental Protection Agency (U.S.EPA) hereby give notice of intent to issue a joint Resource Conservation and Recovery Act (RCRA) and Hazardous and Solid Waste Amendments (HSWA) permit to Detrex Corporation in Melrose Park. The facility's mailing address is 2537 LeMoynes Avenue, Melrose Park, IL 60160. Detrex Corporation is a transfer station which stores spent halogenated solvents under interim status as provided for in 35 Ill. Adm. Code 725.101(b). Interested citizens are invited to review copies of the permit application, draft permit decision and related fact sheets at the following locations:

Melrose Park Public Library
801 N. Broadway
Melrose Park, IL 60160
708/343-3391

Interested citizens may submit written comments on the permit decision documents to the Public Involvement Coordinator at IEPA (listed at the end of this Notice) by Monday, November 11, 1991. In response to public requests or at the discretion of IEPA or U.S. EPA, a public hearing can be held to clarify one or more issues concerning the draft permit decision. A request for a public hearing must be made in writing and must state the nature of the issue to be raised at the hearing. Written requests should be sent to the Public Involvement Coordinator listed below. Public notice will be issued 45 days before any hearing.

All comments submitted will become part of the Administrative Record and will be evaluated by IEPA and U.S. EPA in making the final permit decisions. The two agencies will respond to comments on the draft permit decision, and indicate whether additional documents have been included in the Administrative Record. Anyone who submits written comments will be notified of the final permit decision and the permit decision appeal process.


The IEPA Division of Land Pollution Control is authorized to administer the RCRA program and, as of April 30, 1990, specific 1984 HSWA provisions (amending RCRA) that address corrective actions, waste minimization, mixed wastes and other regulatory functions. Corrective Actions are responses required of facilities that have or have had releases of hazardous constituents. IEPA welcomes information from the public that describes any such releases. U.S. EPA is authorized to address newer provisions of HSWA such as land disposal restrictions and some TCLP modifications. For further clarification of program authority, refer to the March 1, 1990 Federal Register, Vol. 55, No. 41, pg 7320.

The permit application, draft permit decision, related information and all data submitted by the applicant, as part of the Administrative Record, are now available for public inspection Monday through Friday between 9:00 a.m. and 5:00 p.m. at the following location:

Illinois EPA
Government & Community Affairs
Attn: Mara McGinnis, Public Involvement Coordinator
2200 Churchill Road
P.O. Box 19276
Springfield, Illinois 62794-9276
217-782-5562

Please telephone ahead for an appointment to view the documents.

GATHERING
yes?



Today's
No-Stitch



Harold Kirk, MD,
Scott Kirk, MD, and Kent Kirk, MD

KIRK
EYE CENTER
7427 Lake Street
River Forest, IL 60305
708-771-3334

©1991 KIRK EYE CENTER

sion that seals itself without
itches to irritate the eye and
urgery. Quicker healing and
to return to your normal
s with rapid improvement in

ir doctors perform **No-Stitch**
office-based surgery center.
approved by Medicare, li-
Illinois and certified by the
for Ambulatory Health Care.

your **FREE Senior Vision Screening**

HOOVER FACTORY CLEARANCE

Are you interested in buying a home or income property? Are you interested in selling a home or income property? Give me a call.

Paid Advertisement

DATE: September 25, 1991

IEPA NO.: 0311860003
ILD NO.: 074424938
NOTICE NO.: PB-13-91

PUBLIC NOTICE

The Illinois Environmental Protection Agency (IEPA) and the United States Environmental Protection Agency (U.S.EPA) hereby give notice of intent to issue a joint Resource Conservation and Recovery Act (RCRA) and Hazardous and Solid Waste Amendments (HSWA) permit to Detrex Corporation in Melrose Park. The facility's mailing address is 2537 LeMoine Avenue, Melrose Park, IL 60160. Detrex Corporation is a transfer station which stores spent halogenated solvents under interim status as provided for in 35 Ill. Adm. Code 725.101(b). Interested citizens are invited to review copies of the permit application, draft permit decision and related fact sheets at the following locations:

Melrose Park Public Library
801 N. Broadway
Melrose Park, IL 60160
708/343-3391

Interested citizens may submit written comments on the permit decision documents to the Public Involvement Coordinator at IEPA (listed at the end of this Notice) by Monday, November 11, 1991. In response to public requests or at the discretion of IEPA or U.S. EPA, a public hearing can be held to clarify one or more issues concerning the draft permit decision. A request for a public hearing must be made in writing and must state the nature of the issue to be raised at the hearing. Written requests should be sent to the Public Involvement Coordinator listed below. Public notice will be issued 45 days before any hearing.

All comments submitted will become part of the Administrative Record and will be evaluated by IEPA and U.S. EPA in making the final permit decisions. The two agencies will respond to comments on the draft permit decision, and indicate whether additional documents have been included in the Administrative Record. Anyone who submits written comments will be notified of the final permit decision and the permit decision appeal process.

The IEPA Division of Land Pollution Control is authorized to administer the RCRA program and, as of April 30, 1990, specific 1984 HSWA provisions (amending RCRA) that address corrective actions, waste minimization, mixed wastes and other regulatory functions. Corrective Actions are responses required of facilities that have or have had releases of hazardous constituents. IEPA welcomes information from the public that describes any such releases. U.S. EPA is authorized to address newer provisions of HSWA such as land disposal restrictions and some TCLP modifications. For further clarification of program authority, refer to the March 1, 1990 Federal Register, Vol. 55, No. 41, pg 7320.

The permit application, draft permit decision, related information and all data submitted by the applicant, as part of the Administrative Record, are now available for public inspection Monday through Friday between 9:00 a.m. and 5:00 p.m. at the following location:

Illinois EPA
Government & Community Affairs
Attn: Mara McGinnis, Public Involvement Coordinator
2200 Churchill Road
P.O. Box 19276
Springfield, Illinois 62794-9276
217-782-5562

Please telephone ahead for an appointment to view the documents.

Italy Sampling West

Six 88

Board of Proviso
strict take graduate
wood, for graduate
Broadview courses
Melrose. An avid
dates, in married and
are: children who
■ Benjaminfest and one
Address: 331 School.
Bellwood. Age: Not pro-
with John C. 300 Rice
cago, Allen h. Harris has
degree in busic with the
tration with Authority for
accounting from executive
College, Atlanta. malgated
include chess a Union, Local
about economics/ried and has
African-American.

District

conferences and r.
approved by the fu
and turn in all recei
expense reports with Frank Favata
days after attending a ome code of
ence. d not just be.

Arendt said a straut enforced.
plan has already been in back of respect
mented. board mem-

"We set goals that h
been recommended by re left for can-
superintendent. We want on Davis and
but no cal

PIONEER PRESS

MAYWOOD-Very
starter home.



MAYWOOD
Corner Loc.
used as an
Call for fut

NY 100



PUBLIC SERVICE RADIO ANNOUNCEMENT

THE ILLINOIS ENVIRONMENTAL PROTECTION AGENCY AND THE U.S. ENVIRONMENTAL PROTECTION AGENCY ARE CONSIDERING ISSUING A PERMIT TO THE DETREX CORPORATION OF MELROSE PARK TO STORE HAZARDOUS WASTE IN THE FORM OF SPENT HALOGENATED SOLVENTS AT ITS TRANSFER STATION.

DETREX CORPORATION'S PERMIT APPLICATION AND THE AGENCIES' DRAFT PERMIT ARE NOW AVAILABLE FOR PUBLIC REVIEW AT MELROSE PARK PUBLIC LIBRARY, 801 N. BROADWAY, MELROSE PARK. THE AGENCIES ARE SEEKING WRITTEN PUBLIC COMMENTS FROM INTERESTED CITIZENS BEFORE REACHING FINAL DECISIONS ON THE PERMIT. THE DEADLINE TO SUBMIT WRITTEN COMMENTS IS MONDAY, NOVEMBER 11, 1991. FOR FURTHER INFORMATION ABOUT REVIEWING DOCUMENTS AND SUBMITTING COMMENTS PLEASE CALL MARA MCGINNIS AT 217/782-5562.

MM:ks:1-011



217/782-5562

September 25, 1991

WBEZ/FM
Attn: Public Service Director
1819 W. Pershing Road
Chicago, Illinois 60609

Attention News Director/Public Service Director:

The Illinois Environmental Protection Agency and the U.S. Environmental Protection Agency are considering issuing hazardous waste management permits to the Detrex Corporation in Melrose Park. The facility is a transfer station which stores spent halogenated solvents.

Enclosed is a Public Service Announcement that briefly describes how citizens can become involved in the permitting process. I would appreciate it if you would broadcast this information to citizens in your listening area so we can reach as many people as possible.

If you have any questions or would prefer to turn this into a news story, contact me at 217/782-5562. Please fill out and return the postage-paid broadcast verification card if you use the PSA. Having the cards helps me to keep track of which radio stations are interested in being informed of current environmental issues. Thanks for your assistance.

Sincerely,

Mara McGinnis
Public Involvement Coordinator
Government & Community Affairs

MM:ks:1-012

Enclosure



217/782-5562

September 25, 1991

WBBM/AM-FM
Attn: Public Service Director
630 North McClurg Street
Chicago, Illinois 60611

Attention News Director/Public Service Director:

The Illinois Environmental Protection Agency and the U.S. Environmental Protection Agency are considering issuing hazardous waste management permits to the Detrex Corporation in Melrose Park. The facility is a transfer station which stores spent halogenated solvents.

Enclosed is a Public Service Announcement that briefly describes how citizens can become involved in the permitting process. I would appreciate it if you would broadcast this information to citizens in your listening area so we can reach as many people as possible.

If you have any questions or would prefer to turn this into a news story, contact me at 217/782-5562. Please fill out and return the postage-paid broadcast verification card if you use the PSA. Having the cards helps me to keep track of which radio stations are interested in being informed of current environmental issues. Thanks for your assistance.

Sincerely,

Mara McGinnis
Public Involvement Coordinator
Government & Community Affairs

MM:ks:1-012

Enclosure



217/782-5562

September 25, 1991

WGN/AM
Attn: Public Service Director
435 N. Michigan
Chicago, IL 60618

Attention News Director/Public Service Director:

The Illinois Environmental Protection Agency and the U.S. Environmental Protection Agency are considering issuing hazardous waste management permits to the Detrex Corporation in Melrose Park. The facility is a transfer station which stores spent halogenated solvents.

Enclosed is a Public Service Announcement that briefly describes how citizens can become involved in the permitting process. I would appreciate it if you would broadcast this information to citizens in your listening area so we can reach as many people as possible.

If you have any questions or would prefer to turn this into a news story, contact me at 217/782-5562. Please fill out and return the postage-paid broadcast verification card if you use the PSA. Having the cards helps me to keep track of which radio stations are interested in being informed of current environmental issues. Thanks for your assistance.

Sincerely,

Mara McGinnis
Public Involvement Coordinator
Government & Community Affairs

MM:ks:1-012

Enclosure



217/782-5562

September 25, 1991

WFMT/FM
Attn: Public Service Director
303 E. Wacker Drive
Chicago, Illinois 60601

Attention News Director/Public Service Director:

The Illinois Environmental Protection Agency and the U.S. Environmental Protection Agency are considering issuing hazardous waste management permits to the Detrex Corporation in Melrose Park. The facility is a transfer station which stores spent halogenated solvents.

Enclosed is a Public Service Announcement that briefly describes how citizens can become involved in the permitting process. I would appreciate it if you would broadcast this information to citizens in your listening area so we can reach as many people as possible.

If you have any questions or would prefer to turn this into a news story, contact me at 217/782-5562. Please fill out and return the postage-paid broadcast verification card if you use the PSA. Having the cards helps me to keep track of which radio stations are interested in being informed of current environmental issues. Thanks for your assistance.

Sincerely,

A handwritten signature in black ink that reads "Mara McGinnis".

Mara McGinnis
Public Involvement Coordinator
Government & Community Affairs

MM:ks:1-012

Enclosure

Detrex Corporation/Melrose Park
Mailing List
September, 1991

Media

Melrose Park Herald
Attn: News Desk
1232 Central Avenue
Wilmette, IL 60091
!708/696-3140

Proviso Star-Sentinel
Attn: News Desk
1440 W. North Ave., Suite 210
Melrose Park, IL 60160
!708/345-1750

Chicago Tribune
Attn: Stevenson Swanson
435 N. Michigan
Chicago, IL 60611
!312/222-3232

Chicago Sun Times
Attn: Jim Ritter
401 N. Wabash
Chicago, IL 60611
!312/321-3000

WBBM/Channel 2
Attn: News Desk
630 N. McClurg St.
Chicago, IL 60611
!312/944-6000

WGN/Channel 9
Attn: News Desk
2901 W. Bradley Pl.
Chicago, IL 60618
!312/528- ?

WMAQ/Channel 5
Attn: News Desk
Merchandise Mart
Chicago, IL 60654
!312/861-5300

WLS/Channel 7
Attn: News Desk
190 N. State St.
Chicago, IL 60601
!312/750-7777

WTTW/Channel 11
Attn: News Desk
5400 N. St. Louis Ave.
Chicago, IL 60625

WFLD/Channel 32
Attn: News Desk
300 N. State
Chicago, IL 60610
!312/565-5532

WBBM/AM-FM
Attn: Public Service Director
630 N. McClurg St.
Chicago, IL 60611
!312/944-6000

WBEZ/FM
Attn: Public Service Director
1819 W. Pershing Rd.
Chicago, IL 60609
!312/890-8225

WFMT/FM
Attn: Public Service Director
303 E. Wacker Dr.
Chicago, IL 60601
!312/565-5000

WGN/AM
Attn: Public Service Director
435 N. Michigan
Chicago, IL 60618
!312/528-2311

Government - Federal, State & Local
The Honorable Alan J. Dixon
United States Senator
230 S. Dearborn Street
Room 3996
Chicago, IL 60604

The Honorable Paul Simon
United States Senator
230 S. Dearborn Street
Room 3892
Chicago, IL 60604

The Honorable Harris Fawell
United States Representative
911 N. Elm Street 115 W 55th St
Hinsdale, IL 60521 Suite 100
Clarendon Hall, Ill

The Honorable Frank Annunzio
United States Representative 1702/655205
230 S. Dearborn Street
Chicago, IL 60604

The Honorable Cordiss Collins
United States Representative
230 S. Dearborn Street
Suite 3880
Chicago, IL 60604

The Honorable Dan Rostenkowski
United States Representative
2148 N. Damen Avenue
Chicago, IL 60647

The Honorable Ted E. Leverenz
Illinois State Senator
1701 S. 1st Avenue
Maywood, IL 60153

*+ his
signature
project already permit*
The Honorable Philip J. Rock
Illinois State Senator
306 W. Madison
Oak Park, IL 60302

The Honorable Judith Barr Topinka
Illinois State Senator
8609 W. Cermak Road
North Riverside, IL 60546

The Honorable James R. Stange
Illinois State Representative
2002-G Stratton Bldg.
Springfield, Illinois 62706

The Honorable Geoffrey S. Obrzut
Illinois State Representative
107 E. Grant, Suite B
Melrose Park, IL 60164

The Honorable Gary G. Marinaro
Illinois State Representative
1701 N. 18th Avenue
Melrose Park, IL 60161

The Honorable Jack L. Kubik
Illinois State Representative
8609 W. Cermak
North Riverside, IL 60546

The Honorable James A. DeLeo
Illinois State Representative
6839 W. Belmont
Chicago, IL 60634

U.S. Army Corp of Engineers
111 N. Canal St.
6th Floor
Regulatory Functions Branch
Chicago, IL 60606-7206
!312/353-6400

George Hamper 5HS13
USEPA Region V
RCRA Permitting Branch
230 South Dearborn St.
Chicago, IL 60604

Suzanne Kircos
USEPA, Region V
Office of Public Affairs
230 South Dearborn St.
Chicago, IL 60604
!312/886-7857

John M. O'Malley
State's Attorney Office
118 North Clark St., Rm. 434
Chicago, IL 60602
!312/443-5598

IEPA
Division of Land Pollution Control
Cliff Gould
Maywood Regional Office

Illinois Office of Attorney General
Environmental Law Division
500 South 2nd Street
Springfield, Illinois 62701
!217/782-1090

DENR
325 West Adams Street
Springfield, Illinois 62704

Ill. Historic Preservation Agency
Preservation Services
1 Old State Capitol Plaza
Springfield, Illinois 62701-1512
!217/785-1153

Illinois Dept. of Conservation
Resource Management
600 North Grand Ave. West
Springfield, Illinois 62706
!217/785-8654

Illinois Dept. of Transportation
Division of Water Resources
DOT Administration Bldg., Rm. 339
Springfield, Illinois 62764
!217/782-3488

Illinois Dept. of Agriculture
Division of Natural Resources
State Fairgrounds
Post Office Box 19281
Springfield, Illinois 62794
!217/782-6297

Illinois Dept. of Commerce
and Community Affairs
620 East Adams Street
Springfield, Illinois 62701
!217/782-3233

Illinois State Chamber of Commerce
215 East Adams Street
Springfield, Illinois 62701
!217/522-5512

IDPH -- Juan Thomas
4212 W. St. Charles Rd.
Bellwood, IL 60104
!708/544-5300

Hazardous Waste Research
& Information Center
Attn: David Thomas
1 East Hazelwood Dr.
Champaign, IL 61820
!217/333-8941

Chief
Ill. State Natural History Survey
607 East Peabody
Champaign, IL 61820
!217/333-6830

Chief
Ill. State Geological Survey
615 East Peabody
Champaign, IL 61820
!217/344-1481

Illinois State Water Survey
2204 Griffith Drive
Champaign, IL 61820
!217/333-2211

Cook County Sheriff's Office
Jack Hickey, ESDA Officer
Cook County Bldg.
118 N. Clark St., Rm. 431
Chicago, IL 60602

Jerry Grubman
Illinois ESDA
One Heritage Plaza
Suite 8
7501 Lemont Road
Woodridge, IL 60517

Richard J. Phelan
Cook County Board President
118 N. Clark St., Rm. 434
Chicago, IL 60602

David D. Orr
Cook County Clerk
118 N. Clark St., Rm 434
Chicago, IL 60602

Mayor Sigel C. Davis
Village of Bellwood
3200 Washington Blvd.
Bellwood, IL 60104-1984
!708/547-3500

Donald P. Lemm, Village Clerk
Village of Bellwood
3200 Washington Blvd.
Bellwood, IL 60104-1984

Village President, Karl Ermisch
Village of Berkeley
5819 Electric Avenue
Berkeley, IL 60163-1599
!708/449-8840

Mary P. McGah, Village Clerk
Village of Berkeley
5819 Electric Avenue
Berkeley, IL 60163-1599
!708/449-8840

JOHN BUZZARDI
Melrose Park ESDA
1553 N 33rd Ave
Melrose Park, IL
60161

Peter Silvestri
Village President
Village of Elmwood Pk.
11 Conti Parkway
Elmwood Park, IL 60635-4597
!708/452-7300

Mary Fickenscher, Village Clerk
Village of Elmwood Park
11 Conti Parkway
Elmwood Park, IL 60635
!708/452-7300

Jack B. Williams
Village President
Village of Franklin Park
9545 W. Belmont Avenue
Franklin Park, IL 60131
!708/671-4800

Joseph O. Thomas
Village Clerk
Village of Franklin Park
9545 W. Belmont Avenue
Franklin Park, IL 60131
!708/671-4800

Joseph T. Tamburino,
Village President
Village of Hillside
30 N. Wolf Rd.
Hillside, IL 60162-1695
!708/449-6450

Village Clerk
Patrick F. O'Sullivan
Village of Hillside
30 N. Wolf Rd.
Hillside, IL 60162-1695
!708/449-6450

Village President
C. August Taddeo
Village of Melrose Park
706 N. 18th Avenue
Melrose Park, IL 60160-3894
!708/343-4000

Village Clerk
John Otmaskin
Village of Melrose Pk.
706 N. 18th Avenue
Melrose Park, IL 60160-3894
!708/343-4000

Village President
Don Williams
Village of Maywood
115 S. 5th Avenue
Maywood, IL 60153-1390
!708/344-1200

Village Clerk
Venida Perkins
Village of Maywood
115 S. 5th Avenue
Maywood, IL 60153-1390
!708/344-1200

Mayor Reid Paxson
Village of Northlake
55 East North Avenue
Northlake, IL 60164-2489
!708/343-8700

Village Clerk
Attn: Evelyn Strum
Village of Northlake
55 East North Ave.
Northlake, IL 60164-2489
!708/343-8700

Village President
Robert B. Jones
Village of River Forest
400 Park Ave.
River Forest, IL 60305-1798
!708/366-8500

Village Clerk
Emerson K. Houser
Village of River Forest
400 Park Ave.
River Forest, IL 60305-1798
!708/366-8500

Village President
Thomas Tarpey
Village of River Grove
2621 Thatcher Avenue
River Grove, IL 60171-1698
!708/453-8000

Village Clerk
Joseph R. Compbell
Village of River Grove
2621 Thatcher Avenue
River Grove, IL 60171-1698
!708/453-8000

Village President
Robert D. Natale
Village of Stone Park
1629 N. Mannheim Rd.
P.O. Melrose Park, IL 60165-1184
!708/345-5550

Village Clerk
Harry Jack
Village of Stone Park
1629 N. Mannheim Rd.
P.O. Melrose Park, IL 60165-1184
!708/345-5550

Director of Public Works
Ralph Tolomei
Village of Melrose Park
706 N. 18th Avenue
Melrose Park, IL 60160-3894
!708/343-4000

Dr. Karen Scott
Cook County Public Health
1500 S. Maybrook Dr.
Maywood, IL 60153
!708/865-6100

Citizens & Organizations

Greenpeace USA
Great Lakes Regional Office
1017 West Jackson Blvd.
Chicago, IL 60607

Mary Ross
15 West 734 59th St.
Apartment 11
Hinsdale, IL 60521
!708/325-6572

Edward R. Allen
8135 River Drive
Morton Grove, IL 60093
!708/966-5555

Permit Applicant

Clauss Industrial
Richard Larena, Managing Agent
21150 Trestwick Dr.
Barrington, IL 60010
!708/304-8200

Detrex Corporation
Dan Anderson, Branch Mgr.
2537 LeMoyne Avenue
Melrose Park, IL 60160
!708/345-3806

Repository

Melrose Park Public Library
Dolores Connelly
801 N. Broadway
Melrose Park, IL 60160
!708/343-3391

Interested in All Part B Permits

League of Women Voters of Illinois
332 South Michigan Avenue
Chicago, IL 60604

Gloria Craven & Associates
1005 North 7th Street
Springfield, Illinois 60604
!217/525-1601

MONTI Communications, Inc.
Post Office Box 4189
Bloomington, Illinois 61702
!309/452-9151

Linda Kissinger
9716 Stoney Hill Lane
Charlotte, N. Carolina 28226

Todd F. Dykton, Operations Mgr.
Envirite Corporation
16435 South Center Ave.
Harvey, IL 60426

Cheryl Frank
Lee News Service
Statehouse Press Rm.
Springfield, Illinois 62706
!Fax #217/789-7943
!217/782-4043

SS/mls/sp2799q/1-10